



ECaTS Service Guide

Version 2021.01.04

Contents

1.	Introduction.....	1
2.	ECaTS Management Information System (“MIS”)	1
3.	Add-on Services	2
3.1.	Text to 9-1-1 Reporting Service	2
3.2.	Wireless Routing Analytics (“WRA”)	2
3.3.	Staffing Forecast Module	3
3.4.	Additional Reporting Modules and Reporting Bundles	3
3.5.	Dashboard and Near Real-Time Analytics.....	3
3.6.	i3 Logger Service	3
3.7.	Agent Statistics.....	4
3.8.	Audit Logging	4
4.	Authorized Users.....	4
5.	Installation and Support	4

1. Introduction

This Service Guide describes Intrado's Emergency Call Tracking System ("ECaTS") services ("Services").

2. ECaTS Management Information System ("MIS")

The ECaTS MIS allows public safety entities the ability to aggregate all their public safety data, regardless of platform, in a centralized location for pre-configured (standard and management) and ad-hoc reporting. Reports are readily accessible via a web browser utilizing a secure data center solution. Users are not tied down to a workstation to create or access valuable situational reports, and information can be extracted within seconds without requiring manual collating of information from multiple sources.

ECaTS MIS provides Customer with both standard and management reports in the ECaTS suite of reports. Standard reports are those that Customer would typically pull on a daily basis. The comprehensive management reports specifically address the analytical requirements of individual PSAP managers, supervisors, and executives within jurisdictions. The reports provide the tools necessary to identify areas and issues that require management attention.

Ad-hoc reporting is one of the most powerful features of ECaTS, and is accessible through an intuitive user-friendly interface. It allows Customer to generate reports against any data element stored in the system, providing a broad range of ad hoc reporting capability, which can even be scheduled automatically and sent via email.

In addition to the advanced ad-hoc reporting, Customer will have access to the ECaTS Client Communication Specialist for custom report rendering, unlimited webinars, and assistance. ECaTS will build the requested custom report using the advanced ad-hoc reporting tool and send the template directly to Customer's ECaTS instance. These templates can then be shared among users within the ECaTS portal. Any custom reports requiring development of new parsers and or new functionality to the existing portal will incur additional charges.

The ECaTS MIS is a secure analytics application with the ability to report on individual PSAPs, countywide, state-wide, or for any other jurisdiction with the same level of simplicity.

Key Features:

- Intuitive "one click" reporting
- Call and Trunk statistics information
- CDR and ALI information
- Local call taker statistics
- Hassle-free & Low-maintenance
- Low profile equipment at PSAP
- Built in System Monitoring and Response
- Role-based Accessibility via an Internet Browser
- Carrier-Manufacturer-Service Provider Agnostic
- Customer Care and Ongoing Training Included
- Scheduling of almost any report at any frequency

Standard Reports include:

- Call Summary
- Calls Per Hour
- Top Busiest Hours
- Average Call Duration
- Calls By Circuit
- Circuit Utilization
- PSAP Answer Time
- PSAP Ring Time
- Last 12 Month Answer Time

- Last 12 Month Ring Time
- Class of Service
- Call Detail Records
- Initial Station Total Calls
- Call Transfer Count
- Calls by Agent
- Agent Speed of Answer
- Calls Per Hour By Day of Week
- Call Detail Records
- Top ESN Report
- Top ANI Report
- Wireless Call Sector
- Outage Reports
- Call Transfer
- Unparsed Data Report
- Day-in-Review

Additional reports available for VIPER implementations only:

- Agent Audit Log
- Broadcast Message
- Call Detail
- SMS Messages Per Hour
- SMS Session Transcript
- SMS Summary
- TTY to SMS
- TTY Reports
- TTY Call List
- TTY Call Detail

3. Add-on Services

3.1. Text to 9-1-1 Reporting Service

ECaTS provides full text-to-911 reporting functionality (“ECaTS Text to 9-1-1 Service”) with standard SMS reports, which provide visibility into the number of total messages sent and received, the average time to respond between caller and call taker, tracking of the top MDNs to isolate SMS abusers, and full text-to-9-1-1 transcription with search. These reports can also be scheduled to be emailed to the user at their discretion. The ECaTS Text to 9-1-1 Service can be provided as a standalone or complimentary service offering to the ECaTS MIS core service.

Pre-requisites: PSAP must be served by either the Intrado Text Control Center (“TCC”) or the Comtech TCC or have the text data available from a local source (ex: system CDR).

3.2. Wireless Routing Analytics (“WRA”)

The ECaTS WRA provides Customer an analysis of its wireless routing for each cell sector in its jurisdiction. It includes a series of wireless routing reports and additional analytics for tracking when cell towers/sectors are brought online and tracking specific wireless numbers that can be used in field testing. The combined suite of reports is collectively known as the WRA suite and can be run at any time by Customer once the system has been configured and the subscription activated. The reports contained in the WRA suite each provide one facet of analysis needed to understand the current status of cell sector routing and provide insight into the way calls are delivered to the PSAP.

The main wireless reports contained in the WRA suite are:

- a. Wireless Call Sector

- b. Wireless Transfer Summary
- c. New Tower Report

Complementing the primary reports and rounding out the suite that makes up WRA are:

- a. ESN Tracking Report
- b. Field Testing Report

Pre-requisite: ECaTS MIS

3.3. Staffing Forecast Module

The Staffing Forecast Module utilizes existing ECaTS call data collected from each of Customer's PSAPs to provide general staffing level forecasts. Providing Customer with flexibility in generating staffing forecasts based on its own historical call data, the Staffing Forecast Module allows Customer to specify its desired Service Level Goal (the percentage of calls Customer would like answered in a given time), and its desired Answer Time Goal (time frame Customer wants its calls answered within). Customer will have the ability to generate Staffing Forecasting for both existing NENA and NFPA call handling standards, as well as, custom-defined levels.

Pre-requisite: ECaTS MIS

3.4. Additional Reporting Modules and Reporting Bundles

ECaTS offers additional reporting modules for specific Customer needs not addressed in the standard package. In addition, if Customer requires additional custom reports, ECaTS has a portfolio of custom reports that may meet Customer's needs, and specific for its CPE. The additional custom reports are currently offered in bundles of 3, 6, and 9.

Pre-requisite: ECaTS MIS

3.5. Dashboard and Near Real-Time Analytics

The ECaTS Dashboard gives PSAP/County/State management personnel the ability to monitor 9-1-1 call activity in a near real-time display.

The ECaTS Dashboard provides a visual representation of actual 911 call activity, answer time, hold time, and other factors, and represents the real-or near-time condition of 9-1-1 within the specified jurisdiction in a rich visual interface with phase 2 wireless mapping. Additional analytics segment the data by wireless carrier, identifying wireless 9-1-1 calls, or other communication data traffic through the PSAPs in the State and/or County. Each data factor, such as call volume, will be compared against normative values (averages) to identify anomalies in call traffic, call volume, and call handling statistics. An area of the ECaTS Dashboard will be dedicated to mapping incoming phase 2 wireless calls to identify possible areas of high traffic or anomalous call volume (either higher or lower than normal). Wireless carrier activity will also be compared against normative values and significant deviations between normal and abnormal call activity will be highlighted as an "alert" by the ECaTS Dashboard.

Pre-requisites: None

3.6. i3 Logger Service

The ECaTS i3 Logging Service provides an i3-ready logger interface, which aggregates meta data logs from all functional elements within an ESInet to support functional element reporting and meta log retrieval. The ECaTS i3 Logging Service is optimized as a "meta data transaction logger" and conforms to both the v1 and v2 ESInet logging specification as defined by the NENA 08-003 and STA 10.2 specification for logging transaction metadata only. The ECaTS i3 Logging Service does not store media.

Pre-requisites: Customer must have an ESInet with functional elements capable of sending log information to the i3 logger.

3.7. Agent Statistics

The Agent Statistics module allows the user to view statistics for individual agents or user-created agent groups. The report generated will contain many key metrics for measuring Agent/Agent Group activity and performance during the selected date/time range, including the number of calls handled by the agent(s), 911 calls answered, and average duration of calls. This module also includes visual representations of call volume and average duration.

Pre-requisites: ECaTS MIS

3.8. Audit Logging

The Audit Logging module enables the viewing of the Raw Data seen by a user and ad-hoc report results by date and date range. This module also allows retrieval of any ad-hoc report to audit what personal information may have been pulled by a user when using the ad-hoc reporting tool.

Pre-requisites: ECaTS MIS

4. Authorized Users

Customer may only request user logins for users employed by the governing jurisdiction (e.g. State 911 Director, PSAP Manager, Dispatch Supervisor). Intrado will not issue user logins requested by Customer for third party vendors, provided, however, that Customer may request temporary access to Call Detail Records (CDR) for its CPE Service Provider for troubleshooting purposes for up to 30 days. Customer must notify Intrado at Support@ECaTS911.com when an authorized user no longer works for the governing jurisdiction or whenever deactivation is otherwise required

5. Installation and Support

Installation, which includes installation of the data collectors and connecting to the available CPE CDR port, will be the responsibility of Intrado. Intrado will also assist in the network configuration limited to obtaining IP addresses for the data collectors, configuring VPN tunnel information for both parties to establish secure tunnels between their networks and/or identifying proper ports to forward if a VPN is not available. Intrado is not able to configure or change a premise network, Intrado expects local support at each PSAP to be responsible for their network configuration to enable the data collector to transmit collected data to the Intrado datacenter for processing. The data collectors are onsite appliances, which connect to an active CDR port (Intrado is not responsible for CDR port activation, it is expected that all CPE being connected to have active CDR ports to facilitate the service) that collect the data needed for reporting, and securely send the data to the ECaTS platform.

Intrado will require the support of the customer to properly profile the line data obtained from the premise equipment. This profile activity requires participation of the customer and personnel that are responsible for the equipment in order to properly configure the ECaTS system for accurate reporting.

Data collectors will be delivered to Customer FCA point of origin (Incoterms 2010), and title will pass at time of delivery. Intrado will provide maintenance and support for the data collectors as part of the ECaTS Services, and at Intrado's cost will replace any data collector that fails in the field. If Customer's access to the data collector requires a site visit from Intrado, Customer will pay for Intrado's travel and labor costs associated with the repair.

Initial training and additional training requests will be fulfilled by Intrado. Future webinar trainings will be provided at no additional cost for Customers.

Customer support provides access to ECaTS for data mining and statistical analysis assistance.

Intrado will monitor all aspects of the Services, including data collection and transfer points, and the health of Intrado's equipment, Intrado databases, and web services. Contact information for support follows:

- Help Desk Number: 1-855-333-0827
- Email Support: support@ecats911.com

- Hours: 9am to 5pm PT, Monday through Friday, company holidays excluded